

Notified Body  
Nr. 0036



Industrie Service

## Certificate of conformity of the factory production control

**0036 CPR 9195 012**

Revision 04

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

### System chimney type Anderson Flue models

|                     |           |                          |
|---------------------|-----------|--------------------------|
| Model 1, -3, -6, -7 | EN 1856-1 | T450 N1 W V2 LXX050 GXXX |
| Model 2, -4,        | EN 1856-1 | T450 N1 D V3 LXX050 GXXX |
| Model 5, -8         | EN 1856-1 | T200 P1 W V2 LXX050 O00  |
| model 9, -10        | EN 1856-1 | T450 N1 D Vm L20050 GXXX |
| Model 11, -13       | EN 1856-1 | T600 N1 W V2 LXX050 G00  |
| Model 12, -14       | EN 1856-1 | T400 N1 W V2 LXX050 G00  |

*for details of classification see page 2*

produced by

**Schiedel Chimney Systems Ltd.  
Crowther Estate  
Washington, Tyne & Wear, NE38 0AQ (GB)**

in the manufacturing plant

**Schiedel Chimney Systems Ltd.  
Washington, Tyne & Wear, NE38 0AQ (GB)**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard


**EN 1856-1:2009-06**

under system 2+ are applied and that the factory production control fulfils all the prescribed requirements set out above.

The determination of the product type on the basis of type testing is documented in the following report: TÜV SÜD Industrie Service GmbH, report no. A 1402-02/05, A 1402-09/10, A 1402-10/11, A 1403-00/05, A 1469-00/05, A 1939-03/14 and A 1939-04/14.

This certificate was first issued on 2005-03-30 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

Munich, 2014-12-22

  
 Johannes Steiglechner  
 Leiter Zertifizierungsstelle Bauprodukte (EG)



|                                      |                         |
|--------------------------------------|-------------------------|
| System chimney<br>type Anderson Flue | EN 1856-1               |
| Model 1                              |                         |
| DN 80 – DN 300                       | T450 N1 W V2 L50050 G60 |
| Model 2                              |                         |
| DN 80 – DN 300                       | T450 N1 D V3 L50050 G60 |
| Model 3                              |                         |
| DN 80 – DN 300                       | T450 N1 W V2 L50050 G50 |
| Model 4                              |                         |
| DN 80 – DN 300                       | T450 N1 D V3 L50050 G50 |
| Model 5                              |                         |
| DN 80 – DN 300                       | T200 P1 W V2 L50050 O00 |
| Model 6                              |                         |
| DN 80 – DN 300                       | T450 N1 W V2 L99050 G60 |
| Model 7                              |                         |
| DN 80 – DN 300                       | T450 N1 W V2 L99050 G50 |
| Model 8                              |                         |
| DN 80 – DN 300                       | T200 P1 W V2 L99050 O00 |
| Model 9                              |                         |
| DN 80 – DN 300                       | T450 N1 D Vm L20050 G60 |
| Model 10                             |                         |
| DN 80 – DN 300                       | T450 N1 D Vm L20050 G50 |
| Model 11                             |                         |
| DN 125 – DN 200                      | T600 N1 W V2 L50050 G00 |
| Model 12                             |                         |
| DN 125 – DN 200                      | T400 N1 W V2 L50050 G00 |
| Model 13                             |                         |
| DN 125 – DN 200                      | T600 N1 W V2 L99050 G00 |
| Model 14                             |                         |
| DN 125 – DN 200                      | T400 N1 W V2 L99050 G00 |