

Notified Body
Nr. 0036



Industrie Service

Certificate of conformity of the factory production control

0036 CPR 91236 018
Revision 06

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

System Chimney PRIMA PLUS models

Model 1, 6	EN 1856-1	T200 H1 W V2 LXX060 O200
Model 2, 7	EN 1856-1	T200 P1 W V2 LXX060 OXXX
Model 3, 8	EN 1856-1	T450 N1 W V2 LXX060 GXXX
Model 4, 9	EN 1856-1	T450 N1 D V3 LXX060 GXXX
Model 5	EN 1856-1	T450 N1 D V2 L99060 GXXX

For details of classification see page 2

produced by

Schiedel s.r.o.
Horoušanská 286
250 81 Nehvizdy, Czech Republic

in the manufacturing plants

Schiedel s.r.o.
Modlanká 1
41502 Teplice
Czech Republic

Schiedel Sp. Z o.o.
Okup Wielki,
Ul. Inwestycyjna 13
98-100 Łask
Poland

Schiedel B.V
Oude Veerseweg 23
4332 SH Middelburg
The Netherlands

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 1856-1:2009

under system 2+ are applied and that the factory production control fulfils all the prescribed requirements set out above.

The determination of the product type on the basis of type testing is documented in: TÜV SÜD Industrie Service GmbH, report A 1399-03/06, A 1399-12/11, A 1469-00/05, A 1494-00/06, A 1939-05/17 and A 1793-00/09.

This certificate was first issued on 2017-08-01 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

Munich, 2024-03-25

Johannes Steiglechner
Leiter Zertifizierungsstelle Bauprodukte



System chimney PRIMA PLUS	EN 1856-1	System chimney PRIMA PLUS	EN 1856-1
model 1		model 6	
DN 80 - DN 300	T200 H1 W V2 L50060 O200	DN 80 - DN 300	T200 H1 W V2 L70060 O200
model 2		model 7	
single wall installation		single wall installation	
DN 80 - DN 300	T200 P1 W V2 L50060 O200	DN 80 - DN 300	T200 P1 W V2 L70060 O200
DN 350 - DN 450	T200 P1 W V2 L50060 O300	DN 350 - DN 450	T200 P1 W V2 L70060 O300
DN 500 - DN 600	T200 P1 W V2 L50060 O400	DN 500 - DN 600	T200 P1 W V2 L70060 O400
DN 650 - DN 1000	T200 P1 W V2 L50060 O800	DN 650 - DN 1000	T200 P1 W V2 L70060 O800
model 3		model 8	
install. in an insulated enclosure specified by manufacturer		install. in an insulated enclosure specified by manufacturer	
DN 80 - DN 300	T450 N1 W V2 L50060 G50	DN 80 - DN 300	T450 N1 W V2 L70060 G50
DN 350 - DN 450	T450 N1 W V2 L50060 G75	DN 350 - DN 450	T450 N1 W V2 L70060 G75
DN 500 - DN 600	T450 N1 W V2 L50060 G100	DN 500 - DN 600	T450 N1 W V2 L70060 G100
DN 650 - DN 1000	T450 N1 W V2 L50060 G200	DN 650 - DN 1000	T450 N1 W V2 L70060 G200
model 4		model 9	
with insulation for installation in an outer liner		with insulation for installation in an outer liner	
DN 80 - DN 300	T450 N1 D V3 L50060 G75	DN 80 - DN 300	T450 N1 D V3 L70060 G75
DN 350 - DN 450	T450 N1 D V3 L50060 G112,5	DN 350 - DN 450	T450 N1 D V3 L70060 G112,5
DN 500 - DN 600	T450 N1 D V3 L50060 G150	DN 500 - DN 600	T450 N1 D V3 L70060 G150
DN 650 - DN 1000	T450 N1 D V3 L50060 G300	DN 650 - DN 1000	T450 N1 D V3 L70060 G300
System chimney PRIMA PLUS	EN 1856-1		
model 5			
with insulation for installation in an outer liner			
DN 80 - DN 300	T450 N1 D V2 L99060 G75		
DN 350 - DN 450	T450 N1 D V2 L99060 G112,5		
DN 500 - DN 600	T450 N1 D V2 L99060 G150		
DN 650 - DN 1000	T450 N1 D V2 L99060 G300		