

3D PDF DATASHEET



eCATALOG solutions



BIM catalogs.net



PART solutions



Create Your Individual 3D PDF Datasheet ▶

Learn How to Create Your Mechanical Product Catalog ▶

Learn How to Create Your BIM Product Catalog ▶

Reduce Your Costs in Engineering and Purchasing ▶


SCHIEDEL

Bend 200/45/0,5/444/GY/PMS50(a)(400)(116604)

PMS 50

3D View

To activate the interactive 3D view, you must trust this document (see hint on the top) in Adobe Acrobat and click on the question mark.



Zoom

Moves you toward or away from objects in the scene when you drag vertically. You can also zoom with the hand tool by holding down Shift as you drag.

Pan

Moves the model vertically and horizontally only. You can also pan with the hand tool: Ctrl-drag.

Rotate

Turns 3D objects around relative to the screen. How the objects move depends on the starting view, where you start dragging and the direction in which you drag.

3D PDF DATASHEET



Create Your Individual 3D PDF Datasheet

Learn How to Create Your Mechanical Product Catalog

Learn How to Create Your BIM Product Catalog

Reduce Your Costs in Engineering and Purchasing



SCHIEDEL

Bend 200/45/0,5/444/GY/PMS50(a)(400)(116604)

PMS 50

2D derivation

ISO View





Create Your Individual 3D PDF Datasheet

Learn How to Create Your Mechanical Product Catalog

Learn How to Create Your BIM Product Catalog


Reduce Your Costs in Engineering and Purchasing

SCHIEDEL

Bend 200/45/0,5/444/GY/PMS50(a)(400)(116604)

PMS 50

Technical drawings



3D PDF DATASHEET



Create Your Individual 3D PDF Datasheet ▶

Learn How to Create Your Mechanical Product Catalog ▶

Learn How to Create Your BIM Product Catalog ▶

Reduce Your Costs in Engineering and Purchasing ▶

SCHIEDEL


Bend 200/45/0,5/444/GY/PMS50(a)(400)(116604)

PMS 50

Technical Data

MAT (Material)	116604
EAN (EAN/UPC-Code)	4051921058430
SYS (System)	PMS50
SAP (Shorttext)	Bend 200/45/0,5/444/GY/PMS50
LODDEST (LOD Destination)	Architecture
LODLEVEL (LOD Level)	400
INT (int Ø / mm)	200
EXT (ext Ø / mm)	300
A (/ mm)	77
B (/ mm)	172
W1 (/ °)	45
ML (Material/Liner)	444
SL (Surface liner)	GY
WG (Weight / kg)	4.03

3D PDF DATASHEET



Create Your Individual 3D PDF Datasheet ▶

Learn How to Create Your Mechanical Product Catalog ▶

Learn How to Create Your BIM Product Catalog ▶

Reduce Your Costs in Engineering and Purchasing ▶

SCHIEDEL

Bend 200/45/0,5/444/GY/PMS50(a)(400)(116604)
PMS 50

Bill of Materials

N°	Description	Amount
1.1	Bend 200/45/0,5/444/GY/PMS50	1